Gension Innovation Co., Ltd.

Add: 146 Qicheng Space, No.6 Fufeng Road, Fengtai District, Beijing, China 100070

Tel/Fax: 86-10-8833 3345

Phone/WhatsApp: 86-13842656869

Email: jenny@gension.com Web: www. gension.com















YouTube

Facebook

Website





Company Profile

Registered in 2000, Gension is a company integrating design, R&D and sales of broadcasting, film and TV supporting equipment.

Gension has a wide range of high-quality camera supports. There are six product series: Studio Camera Movement Robotics, Tripods, Camera Cranes, VR Tripods and Cranes, Telescopic Cranes and Intelligent Accessories. Gension Innovation Co., Ltd. is responsible for marketing in both Chinese and global markets.

Gension's headquarters and R&D center are located in Beijing. At present, Gension's R&D technology has been leading other similar products at home and abroad and has been widely adopted in the film, television, and new media industries. We engaged in the television broadcast of many large-scale international events including the 2008 Beijing Olympics, the 2009 World University Winter Games, the Guangzhou 2010 Asian Games, and the 2011 Shenzhen Universiade. Additionally. As a result, Gension has received unanimous praise from domestic and foreign broadcast teams and camera crews.

Top technology Innovative design Create the best

GS-RH-LPRO/VR Light Camera Remote Heads

The camera remote remotely controlled fluid head is specifically designed for cameras no more than 5kg, that includes most DVs and SLR cameras. Folding can manage all lenses with lens controllers, hidden in a very small conner quietly. With numerous fluid heads working together, you can have a true unmanned control system for better efficiency.



Main Features

- Small, light and quick
- Al auto tracking
- Powerful lens controllers
- VR tracking data
- Many controlled by one



Tech Specs

Name	GS-RH-L PRO	GS-RH-L VR
Fluid Head Type	L Type Head, 2 Axis, Built-in Brushless Motors and Encoders	L Type Tracking Head, 2 Axis, Built-in Brushless Motors and Encoders
Pan Speed	0.1~60°/s	
Head Payload	5Kg	
Head Weight	2.3Kg	
Head Mounting	3/8 Screw Hole	
Head Angle	Pan: +165° ~ -165°; Tilt: +60° ~ -60°	
Operation Model	Remote Control Panel	
Power Input	DC 12V/2.5A	
Operating Power	30W	
Head Encoder Accuracy	None	260,000 c/r
Lens Encoder Accuracy	None	32,768 c/r
Compatible Lens	Direct Control for DV Cameras; or Cine,	DV, SLR Lens Driven by Lens Controllers

GS-RH-LPRO/VR>>>>> Light Camera Remote Heads

The camera remote head is foldable to a 14cm height size and can be packed together with the control panel for easier carry-up. It is less than 2kg and processed by CNC aluminum material giving it features of beauty, less cables and setup user friendly.









This is extremely interesting for Folding head since it can fit into our own robotic cranes or track robotics. These moving camera support equipment do not need professional cameramen to work on panels. It can auto target and repeat the shooting track just by one click. It is perfect for studio production with 2 or 3 cameras to come up with a truly unmanned control environment.









9